## **Instant Heat**



Complies with 91/155/EEC, 1907/2006 (REACH) and amendments, OSHA's Hazard Communication Standard, 29 CFR 1910.1200; and the requirements of the U.S. Department of Labor Occupational Safety & Health Administration.

#### **Regulatory Status:**

This preparation is classified as hazardous under U.S. OSHA 29 CFR 1910.1200; E.C. Directive 1999/45/EC; Canadian R.S. 1985, c. H-3; U.K. CHIP 2002 No. 1689; and/or U.N. GHS ST/SG/AC 10/30.

None of the components present in this preparation at concentrations equal to or greater than 0.1% are listed by IARC, NTP, OSHA or ACGIH as a carcinogen.

#### **SECTION 1: PRODUCT IDENTIFICATION**

PRODUCT NAME: Instant Heat Pack SERIES NAME: 1301

DESCRIPTION: Coldstar Disposable Instant Heat Compress 0301

ColdStar Disposable Insulated Instant Heat Compress 0501

Coldstar Disposable Instant Heat Compress 0501

Coldstar Soft-Weave Instant Heat Compress 0502

ColdStar Instant Heat Perineal Pad 5112

PRODUCT USE: Thermal Therapy

**DISTRIBUTOR:** Coldstar International Telephone: +1 (423) 538-5551

PO Box 54 Fax: +1 (423) 538-3030

Johnson City, TN 37605 Website: www.coldstarinternational.com

## **SECTION 2: HAZARD IDENTIFICATION**

This SDS contains valuable information critical to the safe handling and proper use of the product. The SDS should be retained and available for employees and other users of this product.

### **CLASSIFICATION OF THE SUBSTANCE OR MIXTURE:**

GHS 3.2.1 - ACUTE TOXICITY - ORAL - Category 5

GHS 3.2.4 - EYE EFFECTS - Category 2B - Mild Irritant

GHS 3.2.5 - SENSITIZATION - Skin Sensitizer

GHS LABEL ELEMENTS: HAZARD PICTOGRAMS & SIGNAL WORD

**WARNING** 

### HAZARD-DETERMINING COMPONENTS OF LABELING:

Magnesium Sulfate

#### **HAZARD STATEMENTS:**

H303 – Maybe harmful if swallowed

H316 - May cause mild skin irritation

H320 - Causes eye irritation

#### PRECAUTIONARY STATEMENTS:

P102 – Keep out of reach of children

P103 - Read label before use

P311 – Call a POISON CENTER or doctor/physician.

CLASSIFICATION SYSTEM: NFPA DEFINITIONS: 0-LEAST, 1-SLIGHT, 2-MODERATE, 3-HIGH, 4-EXTREEM

NFPA RATING DIAMOND (SCALE 0-4):

HEALTH= 0 - Least FIRE= 0 - Least REACTIVITY= 0 - Least

## HMIS-RATINGS (SCALE 0-4):



## **Instant Heat**



### **SECTION 3: COMPOSITION INFORMATION**

**COMPOSITION:** Mixture consisting of the following components

IUPAC SYNONYMS MOLECULAR FORMULA IDENTIFIERS

ITEM C.A.S. No. Percentage

 Magnesium Sulfate
 N/A
 15% - 30%

 Water
 7732-18-5
 70% - 85%

 Proprietary
 1.00%

 Polymers (Film)
 None
 2.00% - 4.00%

#### **SECTION 4: FIRST AID MEASURES**

#### **DESCRIPTION OF FIRST AID MEASURES**

GENERAL INFORMATION: Primary routes of entry: Eye and skin contact; ingestion; inhalation & skin absorption.

Medical condition Aggravated by Exposure: Eyes/skin hypersensitivity

AFTER INHALATION: First Aid is normally not required. Harmful effects are not expected under normal usage.

AFTER SKIN CONTACT: First Aid is normally not required. Harmful effects are not expected under normal usage.

Recommended first aid for exposure to chemical from activated, damaged hot pack:

Flush with cool running water. If thermal burns are present: Cool the burn right away by

flushing gently flowing, cool water on area. Continue cooling until pain is lessened and burn

is cooled. Loosen anything that is tight as long as it is not stuck to the burn. Get medical attention.

AFTER EYE CONTACT: First Aid is normally not required. Harmful effects are not expected under normal usage.

Recommended first aid for exposure to chemical from activated, damaged hot pack:

Flush with cool running water. If eye irritation persists, get medical advice/attention.

**AFTER SWALLOWING:** First Aid is normally not required. Harmful effects are not expected under normal usage.

Recommended first aid for exposure to chemical from damaged hot pack: Do NOT induce vomiting. Have victim drink one to two glasses of water. Get medical attention.

MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED:

## **SECTION 5: FIRE & EXPLOSION HAZARD DATA**

GENERAL INFORMATION: As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and

full protective gear.

FLASH POINT: N/D

AUTOIGNITION TEMPERATURE: N/D
EXTINGUISHING MEDIA: WATER

SPECIAL FIRE FIGHTING PROCEDURES: N/D UNUSUAL FIRE AND EXPLOSION HAZARDS: N/D HAZARDOUS DECOMPOSITION PRODUCTS: N/D

#### SECTION 6: ACCIDENTAL RELEASE MEASURES

## PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Wear suitable protective equipment.

Pick up loose items, and place in container for disposal.

## SPILL AND LEAK PROCEDURES:

Recommended clean-up procedures when compress is damaged: Ventilate area of release.

Remove all sources of ignition. Cover any spilled material with non-combustible absorbent material, such as vermiculite or sand, then place absorbent material into a container for later disposal. Notify the appropriate authorities as required.

If a spill/release in excess of the EPA reportable quantity is made into the environment, immediately notify the national response center in the United States (phone: 1-800-424-8002).

#### **ENVIRONMENTAL PRECAUTIONS:**

Ensure spilled product does not enter drains, sewers, waterways, or confined spaces.

## **Instant Heat**



## **SECTION 7: HANDLING & STORAGE**

#### PRECAUTIONS FOR SAFE HANDLING & STORAGE:

Use in a well-ventilated area. Protect from damage. If misused, can cause burns even at a low temperature. Never apply the hot packs directly to skin, without a protective barrier. If heat pack becomes uncomfortably hot, remove immediately.

Store in a cool, dry, well-ventilated area. Store away from incompatibles and out of direct sunlight. Inspect periodically for damage or leaks. Do Not store below freezing temp or in high heat.

#### **OTHER PRECAUTIONS:**

Recommended handling procedures when compress is damaged:

Wear appropriate protective equipment. Avoid breathing vapors, fumes or dust.

Avoid contact with skin, eyes and clothing. Avoid and control operations which create high vapor or dust concentrations.

Do not ingest. Wash thoroughly after handling.

Always keep in containers made of the same materials as the supply container.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION: N/A

EYE PROTECTION: Eye contact is not expected to occur during normal use of the product.

SKIN PROTECTION: No adverse health effects are expected from skin contact. Protective gloves may

be worn only in case of moist and sensitive hands.

**ENGINEERING CONTROLS: N/A** 

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: N/A

## **SECTION 9: PHYSICAL/CHEMICAL CHARACTERISTICS**

N/A **Boiling Point:** >100°C Freezing Point: N/A Specific Gravity (H<sub>2</sub>0 = 1): N/D

Vapor Pressure (mm Hg): 760MM HG @ 1000°C >1

Vapor Density (AIR = 1):

N/D

Evaporation Rate (Butyl Acetate = 1): Very Soluble Solubility in Water: S=1.7: LIQ=1.1

Appearance and Odor: Solid=White; Liquid=Hazy

## **SECTION 10: STABILITY AND REACTIVITY**

STABILITY: Stable under proper storage conditions

CONDITIONS TO AVOID: None

INCOMPATIBILITY (MATERIAL TO AVOID): Strong oxidizing agents. Strong acids.

HAZARDOUS DECOMPOSITION OR BY-PRODUCTS: Sulfur oxides

HAZARDOUS POLYMERIZATION: Not expected under prescribed storage and handling conditions. Decomposition may

occur at extremely high temperatures

#### SECTION 11: TOXICOLOGICAL INFORMATION

## PRECAUTIONARY STATEMENTS:

## **POTENTIAL HEALTH EFFECTS:**

**INHALATION** Harmful effects are not expected under normal usage.

Chemical from damaged, un-activated hot pack may have the following hazards: Inhalation of dust may

cause shortness of breath, tightness of the chest, a sore throat and cough.

EYE Harmful effects are not expected under normal usage.

> Chemical from damaged, un-activated hot pack may have the following hazards: May cause mechanical irritation. Symptoms may include stinging and tearing. Chemical from damaged, activated hot pack may have the following hazards:

If misused, can cause burns even at a low temperature.

SKIN Harmful effects are not expected under normal usage.

Chemical from damaged, activated hot pack may have the following hazards:

If misused, can cause burns even at a low temperature.

**INGESTION** Harmful effects are not expected under normal usage.

Chemical from damaged, un-activated hot pack may have the following hazards:

Page 3 | 5

Latest Review: 05/15/2018

## **Instant Heat**



May be harmful if swallowed. Symptoms include nausea, vomiting and diarrhea. Ingestion of large quantities may cause an osmotic catharsis resulting in diarrhea and probable abdominal cramps, as well as hypocalcemia (Calcium deficiency in the blood).

TARGET ORGANS None known

PRIMARY ROUTES OF EXPOSURE Inhalation: NO

Skin Absorption: NO Skin & Eyes: YES Ingestion: NO

POTENTIAL EFFECTS OF CHRONIC

**EXPOSURE** 

N/D

CARCINOGENICITY Not known to be carcinogenic.

**IRRITATION/SENSITIZATION**Not expected to be a skin or respiratory sensitizer.

**TERATOGENICITY** Not expected to be a teratogen.

MUTAGENICITY Not expected to be mutagenic in humans.

REPRODUCTIVE TOXICITY Not expected to have other reproductive effects.

#### **SECTION 12: ECOLOGICAL INFORMATION**

**ECOTOXICITY:** No data is available on the product itself.

BIODEGRADABILITY: Biodegradable

BIOACCUMULATION:
MOBILITY:
No data is available on the product itself.
No data is available on the product itself.
No data is available on the product itself.

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

WASTE DISPOSAL METHOD: Material suitable for approved solid waste landfill.

This material is not a hazardous waste according to Federal Regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or comes into contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Dispose of contents to an approved waste disposal site

## **SECTION 14: TRANSPORT INFORMATION**

#### RESOURCE CONSERVATION & RECOVERY ACT (RCRA) WASTE NUMBER:

## Basic Shipping Description:

IATA Not regulated

Proper Shipping Name: Compounds and Refrigerants in Cartons

Hazard Class:
Hazard Label:
Packing Group:
Packaging Instruction:
None
NyA
Special Provisions:
Not classified
None
None
None

U.S. Department of Transportation (DOT) Consumer Commodity, ORM-D

## SECTION 15: REGULATORY INFORMATION

**US FEDERAL REGULATIONS:** This material is not classified as hazardous under OSHA regulations (29 CFR Part 1910.1200). This product is considered an 'article' under 29 CFR Part 1910.1200. This product may be considered a 'manufactured article' or 'medical device'.

TSCA (TOXIC SUBSTANCE CONTROL ACT): None Known

CERCLA/SARA - HAZARDOUS SUBSTANCES AND THEIR REPORTABLE QUANTITIES: N/D

302 EXTREMELY HAZARDOUS SUBSTANCES EPCRA RQS:

No Extremely Hazardous Substances are present in this material.

302EXTREMELY HAZARDOUS SUBSTANCES TPQS: No Extremely Hazardous Substances are present in this material. CERCLA/SARA - 313 - EMISSION REPORTING: This material is not subject to SARA notification requirements, since it does not

contain any Toxic Chemical constituents above the minimum concentrations.

### **US STATE REGULATIONS:**

CALIFORNIA - 8 CCR SECTION 339 - DIRECTOR'S LIST OF HAZARDOUS SUBSTANCES:

California Proposition 65: To the best of our knowledge, this product does not contain any chemicals known to the State of California

## **Instant Heat**



to cause cancer or reproductive harm.

## INTERNATIONAL REGULATIONS:

Canadian WHMIS Classification: This product is not a WHMIS controlled product in Canada. This product may be considered a 'manufactured article' or 'medical device'.

Canadian Environmental Protection Act (CEPA) information: All ingredients listed appear on the Domestic Substances List (DSL).

WATER HAZARD CLASS (GERMANY): N/A

CANADA

DOMESTIC SUBSTANCES LIST (DSL): Not Regulated WHMIS - INGREDIENT DISCLOSURE LIST: No disclosure limit

WHMIS STATUS: This product has been classified according to the hazard criteria of the CPR and the SDS contains all of the

information required by the CPR.

#### **SECTION 16: OTHER INFORMATION**

Updated: September 22, 2015

Date of Preparation: 09/14/15 Last Revision: 05/15/2018

FURTHER INFORMATION: This SDS has been prepared in accordance with:

DISCLAIMER: The information provided in this Safety Data Sheet has been compiled, in good faith, from our experience and data presented in various technical publications. An SDS for a substance is not primarily intended for use by the general consumer, focusing instead on the hazards of working with the material in an occupational setting. It is believed to be accurate and represents the best information currently available. HOWEVER, Coldstar International MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER TYPE, EXPRESSED OR IMPLIED, WITH RESPECT TO PRODUCTS DESCRIBED OR DATA OR INFORMATION PROVIDED, AND WE ASSUME NO LIABILITY RESULTING FROM THE USE OF SUCH PRODUCTS, DATA OR INFORMATION. Users should make their own investigations to determine the suitability of the information for their particular purposes, and the user assumes all risk arising from their use of the material. The user is required to comply with all laws and regulations relating to the purchase, use, storage and disposal of the material, and must be familiar with and follow generally accepted safe handling procedures. In no event shall Coldstar International be liable for any claims, losses, or damages of any individual or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Coldstar International has been advised of the possibility of such damages. We reserve the right to update MSDS sheets from time to time as new information becomes available. It is the responsibility of the user to verify that they have the latest revision available.

Manufactured By/Contact Source for Additional Information	
Coldstar International, Inc.	Phone Number: 423-538-5551
302 Rosedale Lane	Fax Number: 423-538-3030
Bristol, TN 37620	Email Address: customerservice@coldstarinternational.com
United States of America	Preparer's Name: ColdStar International, Inc.